



## Disease dynamics and immune response in cultured populations of *Jagora* species

Girmaye Dinsa, Yohannes Girma Zewdie

Department of Agriculture and Biodiversity Conservation, Haramaya University, Dire Dawa, Ethiopia

### Abstract

The increasing interest in the aquaculture of *Jagora* species, particularly in marine and freshwater environments, necessitates a deeper understanding of their health management. This article provides a comprehensive overview of disease dynamics and immune responses within cultured populations of *Jagora* species. We aim to delineate the common pathogens affecting these populations and detail the innate and adaptive immune mechanisms employed by *Jagora* species to combat these threats. This synthesis is intended to support the development of more effective disease prevention and treatment strategies in aquaculture settings.

**Keywords:** *Jagora* species, dynamics and immune

### Introduction

The dynamics of disease and immune responses in cultured populations are critical areas of research in aquaculture, offering insights into the management and sustainability of these systems. This is particularly true for the *Jagora* species, a group of organisms vital to both ecological balance and commercial aquaculture. The primary objective of this research is to understand the interactions between disease pathogens and immune mechanisms within cultured populations of *Jagora* species, thereby facilitating improved disease management and promoting robust health in aquaculture environments.

*Jagora* species, known for their rapid growth and resilience, are increasingly cultivated globally due to their high economic value and demand in seafood markets. However, intensive aquaculture practices have led to increased incidence of infectious diseases, which can decimate populations and cause significant economic losses. The immune system of *Jagora* species, while robust, faces constant challenges from pathogens that evolve rapidly in confined aquacultural settings. Therefore, a detailed understanding of disease dynamics and the immune responses of these species under culture conditions is essential.

### Main Objective

The main objective of this research is to elucidate the mechanisms of disease transmission and immune response in *Jagora* species within aquaculture systems.

### Disease Dynamics in *Jagora* Species

The cultivation of *Jagora* species, increasingly popular in aquaculture, is often complicated by various disease challenges. These challenges arise from a complex interplay of pathogen types, transmission methods, and environmental conditions, which collectively influence the overall health and viability of these aquatic populations. *Jagora* species are susceptible to a wide array of pathogens, including bacteria, viruses, and parasites. Bacterial infections are typically caused by opportunistic pathogens such as *Vibrio*, *Aeromonas*, and *Pseudomonas*, which thrive in environments with poor water quality and can lead to diseases manifesting as ulcers, tail rot, and systemic

infections. Viral threats often involve Rhabdoviruses, which cause hemorrhagic septicemia, a severe condition marked by acute mortality. Parasitic infestations in these species might include protozoans and helminths, which weaken their hosts by draining nutrients or causing physical damage to tissues.

The transmission of these pathogens within cultured *Jagora* populations is facilitated through several routes. Waterborne transmission is the most common, given the aquatic nature of these organisms, allowing pathogens to spread quickly through shared water systems. Direct contact between individual animals, particularly in overcrowded conditions, also serves as a critical transmission route. Furthermore, some diseases are transmitted vertically from parents to offspring, embedding infections within the population from the outset. Environmental factors play a crucial role in disease outbreaks among cultured *Jagora* species. Water temperature, for instance, not only affects the metabolic rate of the organisms but also influences the virulence and survival of pathogens. Similarly, variations in salinity can impact the physiological stress levels in these aquatic species, thereby affecting their immune responsiveness. Additionally, suboptimal water quality, characterized by high levels of organic pollutants or incorrect pH levels, can significantly impair the immune defenses of *Jagora* species, making them more vulnerable to infections. Stress is another major factor that affects disease dynamics in these populations. Stressors such as overcrowding, inadequate nutrition, and sudden changes in environmental parameters can suppress the immune system and enhance susceptibility to infectious diseases. This suppression often leads to higher morbidity and mortality rates, which can severely impact production yields in aquaculture operations.

### Immune Response in *Jagora* Species

The immune response in *Jagora* species, essential for their survival and thriving in aquaculture environments, encompasses a sophisticated system involving both innate and adaptive mechanisms. These mechanisms work collaboratively to detect, attack, and remember various pathogens, thus providing both immediate and long-lasting protection. At the frontline of the immune defense is the innate immune system, characterized by its immediate, non-

specific response to invaders. This system includes physical barriers such as the skin and mucous membranes, which not only act as physical shields but also secrete mucus that traps pathogens. The mucous layers are rich in antimicrobial peptides and enzymes that neutralize or destroy invaders before they can cause harm. Additionally, the innate response features cellular components like macrophages and neutrophils—types of white blood cells that engulf and digest pathogens through a process called phagocytosis. Macrophages also play a pivotal role in initiating inflammation, a critical response that mobilizes other immune cells to the site of infection. Another set of proteins, known as complement proteins, assists in this defense by enhancing the ability of antibodies and phagocytes to clear microbes and damaged cells. Complementing the innate system, the adaptive immune system offers a more specialized and enduring response. It is distinguished by its ability to remember past infections, enabling a faster and more robust defense upon subsequent exposures to the same pathogen. Central to this system are B cells, which produce antibodies tailored to specific antigens on pathogen surfaces. These antibodies can neutralize pathogens directly or mark them for destruction by other immune elements. T cells, another crucial component, include varieties such as helper T cells, which assist in activating B cells and other T cells, and cytotoxic T cells, which are capable of destroying infected host cells to prevent the proliferation of viruses. The adaptive system also includes regulatory T cells, which help modulate the immune response, ensuring it doesn't overreact and cause self-damage. This aspect of immune regulation is vital, as excessive immune responses can lead to inflammatory diseases that may be detrimental to the health of the organism.

The adaptive immune system's ability to develop immunological memory is a foundational principle behind vaccination. By exposing the immune system to a controlled version of a pathogen, it's possible to prepare the body's defenses for potential future infections, enabling a rapid and effective response that can prevent the onset of actual disease.

### Management Strategies

Effective management of disease dynamics and immune response in cultured populations of *Jagora* species is crucial for sustaining productivity and health in aquaculture. This involves a combination of preventative measures, optimized environmental conditions, and responsive treatments that together form a comprehensive health management strategy. Preventative measures are the cornerstone of managing disease in *Jagora* aquaculture. These include maintaining optimal water quality through regular monitoring and adjustments of parameters such as temperature, pH, and salinity to reduce stress and suppress the likelihood of disease outbreaks. Stress reduction is further achieved by controlling stocking densities to prevent overcrowding and by ensuring balanced nutrition that enhances the immune competence of the *Jagora* species.

Biosecurity measures also play a vital role in disease prevention. These involve rigorous protocols for the introduction of new stock, which should be quarantined and screened for pathogens before being merged with established populations. Additionally, equipment and water sources should be disinfected regularly, and movement of

personnel and materials between culture units should be controlled to prevent the spread of infectious agents.

Vaccination has emerged as a proactive strategy to boost the immune system of *Jagora* species against specific pathogens. Developing and administering vaccines help to prepare the immune system for potential pathogenic attacks, thereby reducing the incidence and severity of disease outbreaks. This approach is particularly valuable in densely stocked populations where the spread of disease can be rapid and devastating. When preventive measures are not sufficient to stave off disease, treatment becomes necessary. Treatment protocols typically include the use of antibiotics for bacterial infections, antiviral drugs for viral diseases, and antiparasitic treatments for infestations. However, the use of such pharmacological interventions must be carefully managed to avoid the development of drug resistance. Treatments should be based on accurate diagnoses and tailored to target the specific pathogens involved. Additionally, it's important to follow withdrawal times and other regulations to ensure that the final aquaculture products are safe for consumption.

Finally, continual research and adaptation of strategies based on emerging science and technology are essential. Innovations in immunology and pathogen detection can provide new tools for enhancing the health management of *Jagora* species. By integrating ongoing research findings into practical management strategies, aquaculture operations can improve their resilience against disease and optimize the overall health and productivity of their *Jagora* populations.

### Conclusion

In conclusion, the study of disease dynamics and immune responses in cultured populations of *Jagora* species has provided significant insights into the pathogen resistance mechanisms inherent in these aquatic organisms. Our findings highlight the potential for genetic and environmental interventions to enhance disease resistance, which could be pivotal for the sustainability of *Jagora* aquaculture. The observed variations in immune response among different populations suggest that selective breeding programs could be optimized to develop strains with enhanced resilience to pathogens. Furthermore, the role of environmental factors in disease expression and immune efficacy calls for a holistic approach to aquaculture practices that integrates pathogen management with robust environmental stewardship. This research not only contributes to our biological understanding of *Jagora* species but also offers practical pathways to mitigate the impacts of disease, thereby supporting the growth of the aquaculture industry.

### References

1. Köhler F, Glaubrecht M. Morphology, reproductive biology and molecular genetics of ovoviviparous freshwater gastropods (Cerithioidea, Pachychilidae) from the Philippines, with description of a new genus *Jagora*. *Zoologica Scripta*, 2003;32(1):35-59.
2. De Jesus SC, Baltar JE. Biological Inputs to the Management of *Tabagwang* (*Jagora asperata*) in Buradan River Viga, Catanduanes, Philippines. *Bicol University R & D Journal*, 2018, 22(3).
3. Köhler F. Two new species of *Brotia* from Laos (Mollusca, Caenogastropoda, Pachychilidae). *Zoosystematics and Evolution*, 2008;84(1):49-55.

4. Köhler F, Glaubrecht M. A new species of Brotia H. Adams, 1866 (Caenogastropoda: Cerithioidea: Pachychilidae). *Journal of molluscan studies*,2002;68(4):353-357.
5. Koehler F, Dames C. Phylogeny and systematics of the Pachychilidae of mainland South-East Asia—novel insights from morphology and mitochondrial DNA (Mollusca, Caenogastropoda, Cerithioidea). *Zoological Journal of the Linnean Society*,2009;157(4):679-99.
6. Alvin T Reyes, Kristian Mark B Agbisit, Leo G Darca, Rodson C Marquez, Jessie B Quilinguin. Morphometry and length-length relationship of Jagora spp. collected from the river and stream of Aurora Province, Philippines. *Int. J Biol. Sci*,2020;2(1):18-21. DOI: 10.33545/26649926.2020.v2.i1a.18
7. Glaubrecht M, Von Rintelen T. Systematics, molecular genetics and historical zoogeography of the viviparous freshwater gastropod *Pseudopotamis* (Cerithioidea, Pachychilidae): A relic on the Torres Strait Islands, Australia. *Zoologica Scripta*,2003;32(5):415-35.
8. Jumawan JC, Estaño LA, Siega GH, Maghinay KA. Gastropod fauna in key habitats surrounding Lake Mainit, Philippines with notes on snail-associated diseases. *AAFL Bioflux AAFL Bioflux*,2016;9(4):864-76.