



## Review of the use and health consequences of global wastewater treatment, reuse, and recycling

Nilotpal Das<sup>1</sup>, Argha Mandal<sup>2</sup>, Dr. Atin Kumar<sup>3</sup>, Dr. Neha Saini<sup>3</sup>, Dr. Pradeep Kumar Kanaujiya<sup>4</sup>

<sup>1</sup> Department of Agronomy, Palli Siksha Bhavana, Visva-Bharati University, West Bengal, India

<sup>2</sup> Department of Soil Science and Agricultural Chemistry, Palli Siksha Bhavana, Visva-Bharati University, West Bengal, India

<sup>3</sup> School of Agriculture, Uttarakhand University, Premnagar, Dehradun, Uttarakhand, India

<sup>4</sup> Department of Agronomy, School of Agriculture, ITM University, Gwalior, Madhya Pradesh, India

### Abstract

The shortage of drinking water affects millions of individuals worldwide serving as a major worldwide challenge. The practice of utilizing unprocessed wastewater for agriculture exists across multiple countries throughout the world. The global community faces this concern as the most critical environmental and public health matter at present. Research shows the usage of treated wastewater as a better solution both in terms of practicality and environmental benefits than using untreated wastewater. Environmental toxicity stands as one of the major health concerns because of contact with solid wastes. We propose in this study to use a multi-disciplinary system for wastewater management as a potential agricultural resource to resolve problems associated with using untreated wastewater. This paper demonstrates proven methods for wastewater treatment together with solid waste conversion into useful fertilizer. Farmers working in wastewater-irrigated fields face major health risks together with deleterious effects from untreated A review examination reveals the significant health reactions that happen when consuming vegetables irrigated with wastewater. The current knowledge of wastewater treatment combined with agricultural usage presents numerous future prospects according to this study.

**Keywords:** Diseases, pollution of the environment, human health, sustainable agriculture, wastewater, greywater, groundwater recharging, bio-computation, biomass, and water reuse and recycling.

### Introduction

Wastewater treatment stands as an essential need of the current period despite the fact that water depletion continues and worldwide water use increases. The combination of waterways with hidden water sources delivers about 70% of the fresh water needed for cultivation (WRI, 2020) (Pedrero et al., 2010). The data signifies grave worry for the water-afflicted countries with its own government. According to Shen et al., 2014, 40% of the world's culture use basins that are harshly water-accentuated, indicating a watering water change. As a result, reusing wastewater in farming is an excellent way to reinstate the custom of freshwater (Contreras et al., 2017). In general, medicated wastewater is used for nonpotable uses in the way that land, watering, groundwater renewal, golf links irrigation, firefighting, bus washing, bathroom flushing, and construction explanation. Additionally, thermal capacity plants can use it for abating (Katsoyiannis et al., 2017; Mohsen, 2004; Smith, 1995; Yang et al., 2017). Globally, millions of smallholder growers depend doctored wastewater watering to maintain their livelihoods and land crop (Sato et al., 2013). Between 1.5 to 6.6% allotment treated wastewater is reused for land requests general (Sato et al., 2013; Ungureanu et al., 2018). Agriculture-located merchandise, mature utilizing wastewater irrigation, are expended by over 10% of the planet's community (WHO, 2006). Reuse of discussed wastewater has grown completely fast; in Europe, the USA, China, and even Australia, books have raised by between 10 to 29% occurring (Aziz & Farissi, 2014). Only about 37.6% of India's city wastewater is now considered, in accordance with estimates (Singh et al., 2019). Israel is defeater in

competition consumer of acted wastewater for land land watering, utilizing 90% of recovered water (Angelakis & Snyder, 2015).

Untreated wastewater is second-hand as a watering supply in several depressed-proceeds countries with its own government in Asia, Latin America, and Africa (Jiménez & Asano, 2008). Plenty of vegetables obtain essential nutrients like planet seen at dawn, nitrogen, potassium, and sulphur from both home water supplies and treated wastewater. The abundant digestive content of cured wastewater lowers manure use, boosts crop yields, reinforces soil fertility, and concede possibility lower land result costs (Chen et al., 2013a; Jeong and others., 2016). Fig. 1 displays the verdicts of extreme pertaining to food values in acted wastewater.

Reusing wastewater to water crops bred any of health issues (Ungureanu et al., 2020). There was a better hazard when utilizing industrial discharge for watering, either straightforwardly or together accompanying household water (Chen et al., 2013). The long organic half-history of heavy metals coupled with non-environmentally friendly practices and policies defines them as risk determinants as per Chaoua et al., 2019 and WHO, 2006. Topsoil measurements indicate a depth scale of 20 cm where these complex metals are present as recorded by Mahmood et al., 2014. The contaminated soil can both enter the human body by breathing and the body of mammals when they eat leafy produce.

Over ancient times ten age, wastewater reuse has arisen as a general energy question that is connected to two together the surroundings and community health (Dang et al., 2019; Narain et al., 2020). In order to safeguard community

health, the World Health Organization (WHO) founded rules in 1973 that created it easier for wastewater and sweat expected second-hand in growing plants in agriculture (WHO, 1973). In the lack of epidemiological research, the first directions were settled later in 2005 utilizing a slightest risk approach (Carr, 2005). However, the epidemiological evidence and health hazards had connection with reusing wastewater for watering were checked by Adegoke et al., 2018. The practice of wastewater and graywater talk over again presents health risks that may be traced back to either synthetic or drug or microbiological hazards (Adegoke et al., 2016; Adegoke et al., 2017; Busgang et al., 2018; Marcussen et al., 2007; Panthi et al., 2019). Studies display that blood inadequacy in addition to delayed tangible and intelligent development show guide pandemic (helminth infection) afflictions that wastewater uncovering can cause (Amoah et al., 2018; Bos et al., 2010; Pham-Duc et al., 2014; WHO, 2006).

Different regions employ freshwater and treated wastewater in their specific amounts because they have unique regional priorities and resource distribution patterns. Agriculture consumes 44% of Europe's freshwater while industry along with energy sectors utilize 40% and public water supply utilizes 16%. Treated wastewater in European territories undergoes primarily three main reuse applications involving landscape irrigation (20%), agricultural irrigation (32%), industrial applications (19.3%) although lower ratios exist for recreational purposes and groundwater recharge and indirect potable reuse (2.3%) (EEA CSI, 2018; GWI/PUB Water Reuse Inventory, 2009). South African agricultural activities control most freshwater consumption through its 60% dominance while domestic and industrial operations use 27% and 3% of freshwater respectively. Treated wastewater reuse mainly concentrates in industrial applications (48%) while agriculture represents 43% and landscape along with sports field irrigation make up 9% of reuse (Adewumia et al., 2010; CoCT, 2007). Thermoelectric power generation plants in the USA receive 41% of allocated freshwater while agriculture claims 37% and domestic needs consume 14%. A major portion of treated wastewater gets used for agricultural irrigation (37%), landscape irrigation (17%), and groundwater recharge (12%) while supporting additional applications such as golf courses, wetlands and industrial purposes (Kenny et al.,

2009; SWRCB, 2011). The utilization of freshwater in India focuses on agricultural activities to the extent of 87% with minimal use dedicated to both industrial and domestic requirements. Treated wastewater finds its primary use in agricultural irrigation (78%) after industrial (12%) and thermal power plant applications (4%) (Jindal & Kamat, 2011). The water management strategy in Greece allocates 83% of its freshwater to irrigation while achieving various reuse purposes that include agricultural irrigation (58.38%), landscape irrigation (23.92%) and firefighting/forested land irrigation (17.7%) through treated wastewater utilization (Frontistis et al., 2011; Tsagarakis et al., 2001).

Wastewater use has existed called to rise in the upcoming age on account of study of human population and a climbing imbalance 'tween available water and demand (World Bank, 2010). Strict regulations and requirements rule the use of treated wastewater in grown nations. But in undeveloped nations, it is common to take advantage of not cooked wastewater straightforwardly outside some sensible requirements, that poses big risks to the atmosphere and public health (Dickin et al., 2016).

**Untreated wastewater's toxicity to the environment**

Larger applications for treated wastewater include firefighting, groundwater recharging, toilet flushing, and irrigation. Major collecting sites for various harmful elements, pathogenic microbes, and heavy metals are municipal wastewater treatment facilities (WWTPs). Wastewater collection draws from different sources which include urban runoff together with industrial wastewater and clinical wastewaters and hospital wastewater according to Soni et al., 2020. Cadmium and lead along with mercury copper and iron represent dangerous elements among heavy metals. The uptake of particular heavy metals above threshold amounts results in ecological problems and health risks (Duan et al., 2017, Tytła, 2019). The heavy metals enter our bodies primarily through the consumption of drinking water. Heavy metals enter human consumption due to two main contamination routes: water disposal practices and contaminated ground polluting water supplies. Drinking water standards together with human health risks from heavy metal exposure and entry routes through the body are shown in Table 2.




Fig. 1: Concentrations of nutrients in freshwater and wastewater (mg/L) (Yadav et al., 2002)

**Table 1:** Entire Permitted Concentrations of Metals of all kinds in Water for Consumption and Related Health Impacts

Heavy Metal	WHO Limit in Drinking Water (mg/L)	WHO Limit in Effluent Water (mg/L)	Health Risks	Exposure Routes
Arsenic	0.01	5	Causes various cancers (skin, lung, bladder, kidney), skin diseases, gastrointestinal and neurological disorders, hormone disruption, and infertility.	Inhalation & ingestion
Cadmium	0.005	0.003	Leads to psychological issues, digestive problems, CNS damage, immune suppression, bone weakening (Itai-itai disease), and cancer.	Ingestion & inhalation (also smoking)
Chromium	0.1	0.05	Triggers ulcers, nausea, liver and kidney damage, respiratory problems, and lung cancer.	Inhalation & ingestion
Iron	1	2	Can cause genetic disorders and tissue damage due to bleeding.	Ingestion
Lead	0.01	0.05	Affects kidneys, brain, and pregnancy outcomes; may cause hypertension and abdominal pain.	Inhalation (dust) & ingestion (water, soil)
Mercury	0.006	0.001	Linked to birth defects (e.g., Down's syndrome), neurological damage, and reproductive disorders.	Inhalation, ingestion, skin contact
Copper	2	0.25	May lead to mental health issues (anxiety, insomnia), liver damage, and fatigue.	Ingestion
Nickel	0.07	0.02	Causes respiratory and heart problems, cancer risk, and dizziness.	Inhalation & ingestion

The direct release of wastewater to rivers or its use for irrigation generates immediate microbial and heavy metal contaminations alongside pathogenic interactions effects. Repeated use of untreated wastewater leads to soil salinity build up according to Smith (1995). Proper irrigation methods using wastewater remain dangerous for both the environment and lead to harmful consequences. The application of wastewater containing heavy metals takes place through irrigation procedures that utilize sewage liquid sludge as well as municipal and agricultural wastewaters and industrial effluents. Improper irrigation techniques enable the build-up of metals throughout crops.

The practice of irrigating crops with waste water reduces the quality of agricultural output yet increases possible health risks. Consuming high amounts of copper leads to headaches and nausea followed by vomiting and liver and kidney damage and develops anaemic conditions (Bent & Bohm, 1995; Madsen et al., 1990; Salem et al., 2000). High levels of arsenic in consumption cause patients to develop both osteopenia and osteoporosis and increase their risk for renal and bone cancer (Jarup, 2003; Puzas et al., 2004).

### Hazardous Pollutants in Water That Affect Human Health

Standard public sewage contains a high concentration of organic components together with pathogenic microscopic organisms. Industrial pharmaceutical operations must implement measures to control dangerous biological substance releases in order to accomplish efficient management. The wastewater that receives no treatment contains various dangerous chemicals for human health. The two principal categories of damaging contaminations in treated wastewater consist of (i) pollution by chemicals and (ii) microbiological pollution.

#### 1. Pollution by Chemicals

Multiple illnesses stem from chemical substances present in tanneries together with factories workshops irrigation areas and wastewater discharges found at home. Heavy metals together with insecticides and hydrocarbons and organic chemicals and volatile substances represent the pollutants

found in these environments. Exposure to these pollutants causes lung infections while also causing eye irritation and brings about both skin cancer and chronic dermatoses and infectious disorders. These pollutants are both difficult to remove and also impossible for environmental life to decompose. Water bodies retain these pollutants for extended periods since they have lengthy half-lives leading to their easy accumulation throughout the food chain. Various surfactants together with pharmaceutical personal care products (PPCPs) often contain dangerous substances comprising nonylphenol and estrone and estradiol and ethinylestradiol. Bolong et al. (2009) explain how these substances act as endocrine disruptors which make even very low doses dangerous to health.

#### 2. Microbiological Pollution:-

Health threats from microbial pollutants present in untreated wastewater have been scientifically proven to be substantial. Various health effects including gastroenteritis and poliomyelitis and hepatitis A and salmonellosis together with campylobacteriosis and diarrhea and encephalitis and typhoid and giardiasis result from the diverse group of microbes (ISDH, 2009; Okoh et al., 2010). Scientific research has confirmed that *Shigella sonnei* together with *Legionella* spp., *E. coli*, *Vibrio intestinalis*, *Salmonella typhimurium*, *P. aeruginosa*, *Vibrio cholerae* and other few bacterial species cause human waterborne infections which result in acute illnesses (Craun et al., 2006; Craun et al., 2010). Microbes that enter food systems through public water supply systems also exit into the environment from hospitals, animal husbandries and municipal sewage water networks.

#### The Effect of Wastewater on Agriculture


Agricultural water usage stands as the principal sector in global water consumption reaching about 70% globally according to Winpenny et al. (2010). Irrigation from wastewater has become a significant practice because 20 million hectares of land receive irrigation worldwide (Ecosse, 2001). The majority of irrigation wastewater

consists of untreated wastewater according to Jiménez and Asano (2008) and Scott et al. (2004). In developing nations wastewater irrigation applications typically exist for untreated or lightly treated water systems (Scott et al., 2009). WHO declares the practice of wastewater irrigation poses health risks to human beings (WHO, 2006). Residing near wastewater sources and consuming untreated wastewater-irrigated crops causes health problems to affect both community members including farmers and their agricultural employees and their families (Qadir et al., 2010). Many organic compounds reside in wastewater stream. The course of action involving Irrigation with untreated wastewater together with its connected health implications has been presented in Fig. 2.

The initial research showing that illnesses spread from agricultural wastewater reuse was published by Shuval et al. (1985). Uncorrected wastewater irrigation of soil elevates its salt levels resulting in land sealing and accumulates salts that trigger detrimental soil erosion. The combination of increased soil salt concentration together with salt accumulation in the soil shifts the soil quality downward while making it less able to let fluids pass through. This prevents necessary plant nutrients from reaching crops.

Numerous scientists consider these effects to represent the permanent consequences of agricultural wastewater reuse (Halliwell et al., 2001). The faecal-oral pathway primarily spreads helminth intestinal parasites including nematodes and tapeworms which are found mostly in wastewater-contaminated soils according to Toze (1997).

Evidence shows that helminth infections create both behavioural or cognitive developmental problems and blood problems in patients (Bos et al., 2010). The global spread of helminth infections results mainly from applying sewage effluent and sludge to agricultural fields without proper treatment (WHO, 1989). Wastewater irrigation of crops collects heavy metals from the activities of foundries and mining facilities and metal-based businesses according to Fazeli et al. (1998). Research indicates that patients experience severe health problems because rice crops absorb heavy metals from paper mill effluent without proper treatment (Fazeli et al., 1998). Heavy metals within polluted water used for rice paddies irrigation became the cause of the Itai-itai illness outbreak in Japan according to Jarup (2003).



**Fig 2:** Exposure route for crops irrigated with wastewater that poses major health risks

On July 11 of 2006 the WHO finalized its third version of guidelines regarding safe wastewater practices in crop irrigation (WHO, 2006) in addition to establishing wastewater threshold standards for pollutants. The irrigation quality of wastewater depends on four main factors: chemical contaminants, microbial elements, trace elements and nutrient abundance that researchers have used to create categories. The pollution level in wastewater heavily depends on its source which includes household sewage and effluents from pharmaceutical plants and chemical plants and paper plants and textile plants. Wastewater treatment demands sophisticated scientific training for achieving

accurate performance according to the suggested rules and recommendations.

**Methods of Treating Wastewater**

**1. Primary Treatment**

The purpose of this first stage is to rid raw wastewater of floating, suspended, and bulk particles. It involves sedimentation by gravity to eliminate suspended materials and screening to capture solid items. Although chemicals can occasionally be employed to speed up the sedimentation process, this physical solid/liquid separation is a mechanical process. During this stage of treatment, the incoming

wastewater's BOD is reduced by 20–30% and its total suspended particles by almost 50–60%.


## 2. Secondary (Biological) Treatment

During this step all organic matter that escaped first treatment gets removed from the solution. The organic material undergoes consumption by microbes which convert it into carbon dioxide together with water as they obtain their energy for growth. The biological process requires additional settling to eliminate more suspended particles from the substance. Secondary sludge from a biogas plant can be used as co-substrate waste with alternative materials for biogas production leading to a mixture of CO<sub>2</sub> and CH<sub>4</sub>. The procedure creates both power and thermal energy which can be used for additional delivery. The clear water requires two additional treatments using nitrification along with denitrification to eliminate its carbon and nitrogen content. A sedimentation basin functions as a water purification system because chlorine serves as the disinfecting agent. The wastewater treatment arena has been using UASB reactors for many years already. During their investigation Behling et al. (1996) researched how the UASB reactor operated unassisted by external heating behaviour. The experimental assessment spanned 200 days while researchers applied 1.21 kg COD/m<sup>3</sup>/day as the COD loading rate. The average COD removal efficiency recorded by the system amounted to 85%. According to Von-Sperling and Chernicharo (2005) a UASB-AS integrated operating system was developed through testing low strength residential wastewater at 340 mg/l BOD<sub>5</sub> levels. Their experiments revealed that the aeration energy requirements declined by 40% with sludge production falling by 60%

according to their study findings. Rizvi et al. (2015) performed residential wastewater treatment by seeding a UASB reactor with cow manure dung which removed COD at 81% and reduced TSS to 75% and total sulphate to 76%.

## 3. Using Nanotechnology as a Tertiary Wastewater Treatment Method to Convert Drinking Water Alike

Nano something that takes up maybe a practical approach for the after second situation of wastewater, likely the new happenings in nanotechnology. 1–5 nm nano fillers can able to have or do eliminate severe metals, organic–inorganic contaminants, pathogenic bacteria, and pharmaceutically alive chemicals (PhACs) by way of their intensely teeny pore sizes (Mohammad et al., 2015; Vergili, 2013). Nano fillers have acquire extensive agreement in the textile subdivision in current age for the situation of pulp bleaching, heavy metal evacuation from wastewater, microbiological removal, and the drug and buttery industries (Abdel-Fatah, 2018). Graphene nano sheets, hardware nanoparticles, metal group of chemical elements nanoparticles, element nanotubes, and polymer-located nano sorbents are few of the diverse types of nanoparticles that, contingent upon their traits, can have a different function in wastewater situation than nano filters. In their reasoning of the potential of differing mineral oxide nanoparticles, Kocabas et al., 2012 raise that TiO<sub>2</sub>, FeO<sub>3</sub>, ZnO<sub>2</sub>, and NiO nano powders grant permission erase an excessive pile of arsenate from wastewater. ZnO nanoparticles maybe used to combat cadmium contaminate in wastewater, which is a big strength concern (Kumar & Chawla, 2014).



**Fig 3:** An illustration of the various methods used to improve wastewater quality from the point of origin to the point at which the wastewater that was treated is ready for irrigation

Wastewater is being efficiently freed by bacteria utilizing nanomaterials. Carbon nanotubes, or CNTs, are widely used to clean wastewater that holds Salmonella, E. coli, and different bacteria (Akasaka & Watari, 2009). Furthermore, silvery nanoparticles show intensely good efficiency against wastewater-befriended bacteria. As a result, it is usual to kill microorganisms from wastewater (Inoue et al., 2002). Additionally, CNTs have drawing characters and a forceful binding similarity for bacterial cells (Pan & Xing, 2008).

The use of element nanotubes (CNTs) to kill E. coli adulteration from wastewater was confirmed and submitted by Melanta (2008). According to Mostafaii et al., 2017, ZnO nanoparticles may be an direct decontaminating power for removing all coliform microorganisms from concerning cities wastewater. It is absurd to overlook the joined difficulties and troubles apart from the earlier established request of nanotechnology. As a result, possibly second-hand as the main wastewater situation resolution and from

that time forward second-hand for drinking (Zekić et al., 2018).

#### 4. Utilizing Plant Species to Treat Wastewater:

The implementation of ruling class as an initial source of vitamins permits certain regular plant organisms to eliminate pollutants from wastewater treatment processes (Zimmels et al., 2004). Plant class represents an effective wastewater treatment solution which offers economic benefits alongside high strength and easy operation capabilities. Research by Vogelmann et al., 2016 shows that this technique works both in a seated position and at the point where wastewater arises. Coleman et al., 2001 examined the physical belongings concerning this treatment. In their tests, they establish that polluted coliform public considerably diminished, nitrogen, ammonia, and phosphate levels dropped off by 50% to 60%, and total pensile mass of material (TSS) and biochemical oxygen demand (BOD) cut down by about 70%. In contrast, Zamora et al., 2019 used three decorative plant variety—*Canna indica*, *Cyperus* material upon which one writes, and *Hedychium coronarium*—to find that the replacement effectiveness of synthetic oxygen demand (COD), total solids pensile (TSS), nitrogen as ammonium (N-NH<sub>4</sub>) and nitrate (N-NO<sub>3</sub>), and phosphate (P-PO<sub>4</sub>) be honest to 20–60% larger.

#### 5. Using Microorganisms to Treat Wastewater

Numerous bacterial variety, containing *Pseudomonas fluorescens*, *Pseudomonas putida*, and various strains of Bacillus, may be working in organic wastewater arrangements. During wastewater situation, these microorganisms function in clusters as flocs, biofilms, or granules. Furthermore, bacterial exopolysaccharides (EPS) grant permission be second-hand in a novel habit for the expulsion of weighty metals if they are acknowledged as a direct adsorption material (Gupta & Diwan, 2017). Thus, the bio-augmentation of wastewater situation reactors accompanying picked and assorted strains can raise situation, in accordance with the research noticed above. Because of their potential for wastewater situation, microalgae have accumulate interest from scientists a suggestion of choice answer in current age. Algae are photosynthetic microorganisms that maybe unicellular or multicellular and prosper on wet soil, water containing salt, or water surfaces.

Groundwater purification from nutrients and pollutants by *Scirpus validus* (Grey club-rush) occurs through the plant achieves effective removal process. The water purification properties of *Azolla californiana* (Fairy moss) include the removal of turbidity and the reduction of BOD, COD and TSS through its ability to absorb suspended particles according to research by Jacquez and Walner (1985). The water purification process involving *Oenanthe javanica* (Chinese celery or Japanese parsley) aids both oxygen content regulation within water and pH stabilization and temperature control along with nutrient acquisition (Zhou & Wang, 2010; Zhu et al., 2011). Marsh pennywort (*Hydrocotyle vulgaris*) demonstrates the ability to extract total nitrogen and ammonium (NH<sub>4</sub><sup>+</sup>) from wastewater according to Duan et al. (2016).

#### The Computational Method for Treating Wastewater

##### 1. Sequencing of the genome and bioinformatics

There is a computational means for acting wastewater. The diversity of biological entities in taxonomical groups with

microorganisms functions as the foundation for generating the organic table. These methods provide extensive information and assistance which can be useful for future wastewater treatment research (Siezen & Galardini, 2008). The microbial communities living on root plants within environmental WWTP wastewater underwent an assessment by Balcom et al., 2016 using whole metagenome sequencing which demonstrated root microbiome decomposition abilities toward micro-contaminants. In a comparable mood, Kumar et al., 2016 discovered that Joyfix Red was considerably decolorized when two singular micro-organisms bio-remediated very contaminated wastewater from fabric dyes. Using 16S rDNA study, they were persistent expected *Aeromonas hydrophila* (KF032718) and *Lysinibacillus sphaericus* (KF032717). Research experts are utilizing metagenomics for water characteristic listening to raise the safety and habit of reusing potable water, in accordance with a more current paper by Leddy et al., 2018. Additionally, the bio-computational method has happened used to the happening of affliction detection and wastewater situation.

Three important microorganisms used in wastewater treatment processes are algae, fungi and bacteria which naturally break down or absorb pollutants. The wastewater treatment efficacy of *Scenedesmus* sp. and *Scenedesmus abundans* includes heavy metal removal of zinc, cadmium and copper as well as cyanide detoxification (Nmaya et al., 2017; Oilgae, 2014). The wastewater treatment process benefits from *Botryococcus braunii* and *Chlorella* sp. because they eliminate nitrogen, phosphorus, lead and detoxify cyanide from the water. *Dunaliella salina* functions as an effective treatment solution for hypersaline wastewater because it removes metals including Cu, Cd, Co and Zn whereas *Sargassum muticum* shows strength in removing Methylene Blue dye (Oilgae, 2014).


Fungal organisms display exceptional skills to treat wastewater contamination. Biochemical processes enable *Bjerkandera adusta* and *Trametes versicolor* to successfully reduce wastewater color while detoxifying the compounds (Anastasi et al., 2010; Zahmatkesh et al., 2018). White-rot fungus *Phanerochaete chrysosporium* breaks down various aromatic compounds yet *Rhizopus arrhizus* and *Fusarium flocciferum* and *Penicillium chrysogenum* represent several organisms that can absorb heavy metals such as Ni(II) and Cd(II) according to findings from Delgado et al. (1998) and Sağ (2001) and Volesky (1994).

*Sphingomonas* sp. together with *Paenibacillus azoreducens* exhibit efficient high-performance breakdown capabilities for complex dye substances including naphthalene-2-sulphonate (Russ et al., 2000; Meehan et al., 2001). *Pseudomonas luteola* and *Bacillus subtilis* aid in organic matter removal and TOC reduction (Chang et al., 2001; Hesnawi et al., 2014). Research lacks specific data about *Bacillus laterosporus* and *Pseudomonas aeruginosa* effects but these bacterial strains demonstrate their ability to absorb heavy metals and decompose organic pollutants. Research by Kim et al. (1996) and Marchal et al. (2010) shows that *Methylobacterium organophilum* specializes in extracting copper and lead from solutions but *Herminiimonas arsenicoxydans* performs the most important function of arsenic removal. The gathered group of microorganisms establishes a crucial biological method that ensures efficient wastewater remediation while remaining environmentally beneficial.

**2. Analytical Fluid Dynamics for Treating Wastewater**

The widely handled method of computational fluid movement (CFD) has been second-hand in organic wastewater situation in current years. It has disclosed the hydraulic state of an organic catalyst, that is the inner flow state (Peng et al., 2014). CFD is the use of powerful imitation and predicting modelling methods. It grant permission estimate common people ways that all of the water kind and process design ingredients communicate. Although CFD shaping techniques are before usual in additional areas, the water sector is just currently adopting ruling class. The machinelike movement of CFD modelling,

that uses the bulk transfer and hydrodynamic accomplishment of alone or two-development flow reactors, makes it an superior finish for doctoring water and wastewater (Do-Quang et al., 1998). Different process units have variable levels of CFD capacities. Activated mud tub modelling, cleansing, last sedimentation, and basic sedimentation and anaerobic digesting are among allure many uses (Samstag et al., 2016). In order to determine further hydrodynamic performance, analysts are immediately reconstructing CFD displaying using a 3D model of the anoxic district (Elshaw et al., 2016).



**Fig. 4:** A diagram illustrating the general conceptual framework that the computational approach to wastewater treatment is based on

**3. Using Computational Artificial Intelligence to Treat Wastewater**

In order to use calculating-located artificial methods that offer speedy and mechanized monitoring of water value tests like BOD and COD, analysts seized a number of studies. Nourani et al., 2018 currently examined the feasibility of a wastewater situation plant resorting to three apparent artificial intelligence methods: support heading machines (SVM), feedforward affecting animate nerve organs networks (FFNN), and adaptive neuro-fluffy conclusion wholes (ANFIS). The Nicosia wastewater treatment plant (NWWTP) transported any of discharge assessments to test BOD, COD, and total nitrogen, and the results demonstrated that artificial intelligence acted yes (Nourani et al., 2018).

**4. Geographic Information Systems and Remote Sensing**

Since the onset of subsidiary technology, differing methods and instruments have win recognition. Using satellite metaphors and dimensional data, the future plan of detached feeling and GIS technology is essential for labelling and judgment the water-polluted extent. A active and practical habit to devise atmospheric fixing methods maybe through

GIS analysis. Additionally, it offers a smooth-to-use atmosphere that might further elaborate spatial movements to acquire the greatest kind dossier on water value parameters utilizing detached sensing (Ramadas & Samantaray, 2018).

**Applying Wastewater Treatment**

**1. The Range of Crop Irrigation:-**

The belongings of reusing considered or recycled wastewater in main businesses have happened judged in a number of research. These operations include construction along with actual joining processes and irrigation activities for match play courses combined with lawn maintenance and public parks development and water abatement for capacity plants and oil refineries and water preparation for mills and plants and bathrooms and dust control and constructed basins. Statistical data confirms that irrigation with secondary-treated wastewater increases soil agricultural potential and synthetic attributes according to Mohammad and Mazahreh (2003). Ayers and Westcot (1985) reported that considered wastewater shows appropriate reuse potential after its initial proper treatment since it contains difficult metals at equivalent levels both in wastewater and in natural water. This has existed

transformed in the submitted model by advancing it accompanying UV and air medicine. The doctored water passed kind tests appropriate for farming watering, in

accordance with a recent research (Bhatnagar et al., 2016). These methods have existed tested alone and together (US and nanoparticle) (Kesari et al., 2011a,b).




Fig 5: Turning wastewater into energy (taken from Kesari & Jamal, 2017; Bhatnagar et al., 2016)

Lead, law enforcement officer, metallic mineral, boron, cobalt, chromium, arsenic, molybdenum, manganese, and additional essential and unnecessary alloy pollutants are repeatedly about fields that are irrigated accompanying wastewater. Some of these are necessary for crops, while the remainder of something are unnecessary metals that are hurtful to people, mammals, and plants. According to Kanwar and Sandha (2000), plants cultured in wastewater-irrigated soils had particularly greater amounts of difficult metals than plants cultured in the study's remark soil. According to Yaqub et al. (2012), US is a top-selling order for removing organic contaminators and difficult or dicey metals from industrial discharge. Nevertheless, it has further existed shown that the metals were efficiently removed when upper layer of atmosphere and UV radiation were assorted (Samarghandi and others., 2007). As earlier noted, gases forming the atmosphere uncovering is an effective technique for removing metals or injurious wealths from wastewater (Park et al., 2008). Reactive oxygen class (ROS) are built when US, UV, and O<sub>3</sub> are used together. These ROS oxidize sure basic fabrics and metal ions and demolish pathogens. In order to decay natural materials, the state-of-the-art oxidizing process (AOP) for the most part uses oxidants, power, light, catalysts, etc. to conceive well sensitive free radicals (such OH) (Oturán & Aaron, 2014). For the disruption of complex natural contaminants, the ozone explosion process is ultimate hopeful and efficient among the added AOPs (Xu et al., 2020). Heavy metals are oxidized by air to their higher burning state, making golden hydroxides or oxides. These typically speed as restricted dissolved oxides that are easily dribbled utilizing a

penetrating procedure. Heavy metals in the way that cadmium, chromium, sea color, law enforcement officer, lead, manganese, nickel, and metallic mineral grant permission be efficiently removed from water beginnings utilizing gases forming the atmosphere oxidation (Upadhyay & Srivastava, 2005). In discussed wastewater, quick-considered sludge causes organic containers to decay and eliminates microorganisms (Kesari, Kumar, et al., 2011a; Kesari, Verma, & Behari, 2011b). Ultrasound and nanoparticle medicine together have been proved expected more profitable (Kesari, Kumar, et al., 2011a). Bacteria are lysed and performed inert for one physical belongings of cavitation began by ultrasonication (Broekman et al., 2010).

## 2. Management of Energy and the Economy

Municipal wastewater situation abilities are owned by the cleanliness of wastewater and the protection of community health. The presence of household wastewater evolved into a reserve of valuable goods but some view it as waste following its crucial role in fertilizer industry development especially for plant nutrients like phosphate and nitrogen. Many experts agree that household wastewater serves as an effective solution to prevent water emergencies through its use for irrigation of technical systems and agricultural land. Research has confirmed that using anaerobic processes on wastewater organic pollutants can transform them into poison gas vapour thus creating a new energy source. However, the most of wastewater treatment conveniences still use old-fashioned electronics, to a degree anaerobic sludge digesting, that uses more strength. Consequently, only a short end of the deal of wastewater's energy has

happened cured by these established wholes. A number of sciences, including microbial fuel containers, bio-hydrogen, biodiesel, and bioethanol, are being grown to turn natural resources into bioenergy.

Sludge from wastewater treatment plants may be stabilized by way of vermicomposting. The active procedures of composting and vermicomposting serve as effective treatments for solid waste and waste sludge according to Contreras-Ramos et al. 2005, Elvira et al. 1998, Fraser-Quick 2002, Ndegwa & Thompson 2001, and Sinha et al., 2010. Research potential considers vermicomposting waste sludge from urban collection centers (Contreras-Ramos et al., 2005) combined with processing it for blended soils (Ayilara et al., 2020) but collecting dried waste materials poses significant difficulty. The agricultural land waste introduction process leads to major diseases when recycled biomass undergoes burning (Kesari & Jamal, 2017).

### Conclusions and future perspectives

The use of not cooked wastewater in farming has elevated concerns about the environment and community health, that we have checked in this place research. We have reduced on the present position concerning the computational method and wastewater situation model. We accommodate guest the concepts to address the questions guide wastewater situation and the feasibility for reuse of the discussed water, likely the immediate need for complete arrangements in farming. The growing people poses a hazard to water money. The climbing production of concerning cities, industrialized, and land wastewater in cultivating countries with its own government, particularly in India and different Asian countries with its own government, has the potential to recover freshwater possessions in edible grain farming if appropriate situation and disposal orders are implemented. Since climbing concentrations of undesired or mysterious contaminants are intensely detrimental to two together the surroundings and human energy, wastewater situation is individual of the major issues folds many countries with its own government. Thus, the ideas established current and upcoming research are checked in this place study. Although wastewater situation includes reasonably conventional approaches by following basic, subordinate, and after second situation procedures, the use of contemporary science continually increases the possibility of prime water. The principle of the submitted model applies to many types of wastewater effluents, and in this place study, we have supported merger techniques for wastewater situation. The submitted methods is beneficial for two together treating wastewater and curving reliable waste into manure. The basic modern result is a suitable method for wastewater situation and after use for draining water. It is also powerfully considered to obey the WHO's existent approvals and standard procedures. The well-being risks that wastewater watering poses to ranchers and consumers of irrigated crops have existed closed in this place review.

One of the issues namely flattering more and more urgent in the up-to-date is the freshwater question. An estimated 330 km<sup>3</sup> of concerning cities wastewater are caused general each year (Hernández-Sancho et al., 2015). This news create it more transparent why reusing medicated wastewater is critical to answering the water crises' questions. Water demand maybe better join in the future by utilizing medicated wastewater (water containing salt, urban

wastewater, or industrialized wastewater) for watering. Farmers in underdeveloped countries currently promote wastewater straightforwardly for watering, which can bring about any of well-being questions for both ranchers and users (salads or crops). As a result, using contemporary and normal methods to treat wastewater is crucial. Therefore, so that reap the adequate benefits of cautious water talk over again in agriculture and for growers, it is necessary that sure rules and procedures reside.

### Acknowledgement

The completion of this review article would not have been possible without the support and guidance of Dr. Neha Saini, School of Agriculture, Uttaranchal University. His dedication and overwhelming attitude towards helping his students is solely responsible for completing my review article. The encouragement and insightful feedback were instrumental in accomplishing this task.

Special thanks to Dr. Atin Kumar for data analysis and technical assistance. Their extraordinary contributions have greatly improved the quality of this review article.

### References

1. Abdel-Fatah MA. Nanofiltration systems and applications in wastewater treatment: Review article. *Ain Shams Engineering Journal*,2018;9:3077–3092.
2. Agoro MA, Adeniji AO, Adefisoye MA, Okoh OO. Heavy metals in wastewater and sewage sludge from selected municipal treatment plants in Eastern Cape Province, South Africa. *Water*,2020;12:2746.
3. Amabilis-Sosa LE, Vázquez-López E, García Rojas JL, Roé-Sosa A, Moeller-Chávez GE. Efficient bacteria inactivation by ultrasound in municipal wastewater. *Environments*,2018;5:47.
4. Angelakis A, Snyder S. Wastewater treatment and reuse: Past, present, and future. *Water*,2015;7:87–95.
5. Balcom IN, Driscoll H, Vincent J, Leduc M. Metagenomic analysis of an ecological wastewater treatment plant's microbial communities and their potential to metabolize pharmaceuticals. *F1000 Research*,2016;5:1881.
6. Bhatnagar A, Kesari KK, Shurpali N. Multidisciplinary approaches to handling wastes in sugar industries. *Water, Air, & Soil Pollution*,2016;11:1–30.
7. Chaoua S, Boussaa S, Gharmali AE, Boumezzough A. Impact of irrigation with wastewater on accumulation of heavy metals in soil and crops in the region of Marrakech in Morocco. *Journal of the Saudi Society of Agricultural Sciences*,2019;18:429–436.
8. Craun GF, Brunkard JM, Yoder JS, Roberts VA, Carpenter J, Wade T, et al. Causes of outbreaks associated with drinking water in the United States from 1971 to 2006. *Clinical Microbiology Reviews*,2010;23:507–528.
9. Dang Q, Tan W, Zhao X, Li D, Li Y, Yang T, et al. Linking the response of soil microbial community structure in soils to long-term wastewater irrigation and soil depth. *The Science of the total environment*,2019;688:26–36.
10. Delgado A, Anselmo AM, Novais JM. Heavy metal biosorption by dried powdered mycelium of *Fusarium Flociferum*. *Water Environmental Research*,1998;70:370.
11. EEA CSI.  
<https://www.eea.europa.eu/themes/water/waterresource>

- s/water-use-by-sectors. Accessed 3 Oct 2019.
12. Elshaw A, Hassan NMS, Khan MMK. CFD modelling and optimisation of a wastewater treatment plant bioreactor—A case study. In Proceedings of the 2016 3rd Asia-Pacific World Congress on Computer science and Engineering (APWC on CSE), 2016, 232–239. <https://doi.org/10.1109/APWC-on-CSE.2016.046>.
  13. Falkenberg T, Saxena D. Impact of wastewater irrigated urban agriculture on diarrhea incidence in Ahmedabad, India. *Indian Journal of Community Medicine*,2018;43:102–106.
  14. Founou RC, Founou LL, Essack SY. Clinical and economic impact of antibiotic resistance in developing countries: A systematic review and meta-analysis. *PLoS One*,2017;12:0189621. <https://doi.org/10.1371/journal.pone.0189621>.
  15. Gatta G, Libutti A, Gagliardi A, Disciglio G, Beneduce L, d'Antuono M, et al. Effects of treated agro-industrial wastewater irrigation on tomato processing quality. *Italian Journal of Agronomy*,2015;10(2):97–100.
  16. Gehrke I, Geiser A, Somborn-Schulz A. Innovations in nanotechnology for water treatment. *Nanotechnology, Science and Applications*,2015;8:1–17.
  17. Gupta SK, Shin H, Han D, Hur HG, Unno T. Metagenomic analysis reveals the prevalence and persistence of antibiotic- and heavy metal-resistance genes in wastewater treatment. *Plant Journal of Microbiology*,2018;56:408–415.
  18. GWI Global Water Intelligence. PUB study: Perspectives of water reuse. GWI Publishing: 2009.
  19. He Y, Yuan Q, Mathieu J, Stadler L, Seneni N, Sun R, et al. Antibiotic resistance genes from livestock waste: Occurrence, dissemination and treatment. *npj Clean Water*,2020;3:4.
  20. Hussain A, Priyadarshi M, Dubey S. Experimental study on accumulation of heavy metals in vegetables irrigated with treated wastewater. *Applied Water Science*,2019;9:122.
  21. Içgen B, Yılmaz F. Co-occurrence of antibiotic and heavy metal resistance in Kizilirmak River isolates. *Bulletin of Environmental Contamination and Toxicology*,2014;93:735–743.
  22. Indiana State Department of Health. Diseases Involving Sewage, 2009. <https://www.in.gov/isdh/22963.htm>
  23. Jaishankar M, Tseten T, Anbalagan N, Mathew BB, Beeregowda KN. Toxicity, mechanism and health effects of some heavy metals. *Interdisciplinary Toxicology*,2014;7(2):60–72.
  24. Jeong H, Kim H, Jang J. Irrigation water quality standards for indirect wastewater reuse in agriculture: A contribution toward sustainable wastewater reuse in South Korea. *Water*,2016;8:169.
  25. Jyothi NR. Heavy metal sources and their effects on human health, heavy metals - Their environmental impacts and mitigation. Ed. Nazal, M, 2020, 95370.
  26. Kalavrouziotis IK, Kokkinos P, Oron G, Fatone F, Bolzonella D, Vatyliotou M, et al. Current status in wastewater treatment, reuse and research in some mediterranean countries. *Desalination and Water Treatment*,2015;53:2015–2030.
  27. Kumar A, Ali M, Kumar R, Kumar M, Sagar P, Pandey RK, et al. Arsenic exposure in Indo Gangetic plains of Bihar causing increased cancer risk. *Scientific Reports*,2021;11:2376.
  28. Libutti A, Gatta G, Gagliardi A, Vergine P, Pollice A, Beneduce L, et al. Agroindustrial wastewater reuse for irrigation of a vegetable crop succession under Mediterranean conditions. *Agricultural Water Management*,2018;196:1–14.
  29. Liu J, Ma Y, Xu T, Shao G. Preparation of zwitterionic hybrid polymer and its application for the removal of heavy metal ions from water. *Journal of Hazardous Materials*,2010;178:1021–1029.
  30. Mehmood A, Mirza AS, Choudhary MA, Kim KH, Raza W, Raza N, et al. Spatial distribution of heavy metals in crops in a wastewater irrigated zone and health risk assessment. *Environmental Research*,2019;168:382–388.
  31. Mostafaii G, Chimehi E, Gilasi HR, Iranshahi L. Investigation of zinc oxide nanoparticles effects on removal of total coliform bacteria in activated sludge process effluent of municipal wastewater. *Journal of Environmental Science and Technology*,2017;1:49–55.
  32. Narain DM, Bartholomeus RP, Dekker SC, Van Wezel AP. Natural purification through soils: Risks and opportunities of sewage effluent reuse in sub-surface irrigation. In: *Reviews of Environmental Contamination and Toxicology (Continuation of Residue Reviews)*, 2020, 1–33. Springer. [https://doi.org/10.1007/398\\_2020\\_49](https://doi.org/10.1007/398_2020_49)
  33. Njuguna SM, Makokha VA, Yan X, Gituru RW, Wang Q, Wang J. Health risk assessment by consumption of vegetables irrigated with reclaimed wastewater: A case study in Thika (Kenya). *Journal of Environmental Management*,2019;231:576–581.
  34. Numberger D, Ganzert L, Zoccarato L, Mühldorfer K, Sauer S, Grossart HP. Characterization of bacterial communities in wastewater with enhanced taxonomic resolution by full-length 16S rRNA sequencing. *Scientific Reports*,2019;9:9673.
  35. Oilgae Guide to Algae-based Wastewater Treatment. Commonly used algae strains for wastewater treatment,2014. <http://www.oilgae.com/blog/2014/01/commonly-usedalgae-strains-for-waste-water-treatment.html>. Accessed 5 May 2021.
  36. Oturan MA, Aaron JJ. Advanced oxidation processes in water/wastewater treatment: Principles and applications. A review. *Critical Reviews in Environmental Science and Technology*,2014;44:2577–2641.
  37. Panthi S, Sapkota AR, Raspanti G, Allard SM, Bui A, Craddock HA, et al. Pharmaceuticals, herbicides, and disinfectants in agricultural water sources. *Environmental Research*,2019;174:1–8.
  38. Poustie A, Yang Y, Verburg P, Pagilla K, Hanigan D. Reclaimed wastewater as a viable water source for agricultural irrigation: A review of food crop growth inhibition and promotion in the context of environmental change. *Science of the Total Environment*,2020;739:139756.
  39. Punshon T, Jackson BP, Meharg AA, Warczak T, Scheckel K, Guerinot ML. Understanding arsenic dynamics in agronomic systems to predict and prevent uptake by crop plants. *Science of the Total Environment*,2017;581–582:209–220.
  40. Qadir M, Wichelns D, Raschid-Sally L, McCormick PG, Drechsel P, Bahri A, et al. The challenges of

- wastewater irrigation in developing countries. *Agricultural Water Management*,2010;97:561–568.
41. Ramadas M, Samantaray AK. Applications of remote sensing and GIS in water quality monitoring and remediation: A state-of-the-art review. In: Bhattacharya S, Gupta A, Gupta A, Pandey A, editors. *Water remediation. Energy, Environment, and Sustainability*. Springer, 2018.
  42. Russ R, Rau J, Stolz A. The function of cytoplasmic flavin reductases in the reduction of azodyes by bacteria. *Applied and Environmental Microbiology*,2000;66:1429–1434.
  43. Sacks M, Bernstein N. Utilization of reclaimed wastewater for irrigation of field-grown melons by surface and subsurface drip irrigation. *Israel Journal of Plant Sciences*,2011;59:159–169.
  44. Samstag RW, Ducoste JJ, Griborio A, Nopens I, Batstone DJ, Wicks J, et al. CFD for wastewater treatment: An overview. *Water Science and Technology*,2016;74:549–563.
  45. Taylor AA, Tsuji JS, Garry MR, McArdle ME, Goodfellow Jr. WL, Adams WJ, et al. Critical review of exposure and effects: Implications for setting regulatory health criteria for ingested copper. *Environmental Management*,2020;65:131–159.
  46. Tytła M. Assessment of heavy metal pollution and potential ecological risk in sewage sludge from municipal wastewater treatment plant located in the most industrialized region in Poland—Case study. *International Journal of Environmental Research and Public Health*,2019;16:2430.
  47. Ungureanu N, Vlăduț V, Dincă M, Zăbavă BȘ. Reuse of wastewater for irrigation, a sustainable practice in arid and semi-arid regions. In: *Proceedings of the 7th International Conference on Thermal Equipment, Renewable Energy and Rural Development (TE-RE-RD)*, Drobeta-Turnu Severin, Romania, 31 May–2 June,2018, 379–384.
  48. US EPA. *Guidelines for Water Reuse 600/R-12/618*. Environmental Protection Agency, 2012.
  49. Vogelmann ES, Awe GO, Prevedello J. Selection of plant species used in wastewater treatment. In: *Wastewater treatment and reuse for metropolitan regions and small cities in developing countries*,2016, 1–10. Publisher.
  50. Wani AL, Ara A, Usmani JA. Lead toxicity: a review. *Interdisciplinary Toxicology*,2015;8:55–64.
  51. Xiao R, Wang S, Li R, Wang JJ, Zhang Z. Ecotoxicology and environmental safety soil heavy metal contamination and health risks associated with artisanal gold mining in Tongguan, Shaanxi, China. *Ecotoxicology and Environmental Safety*,2017;141:17–24.
  52. Xu S, Yan N, Cui M, Liu H. Decomplexation of Cu (II)/Ni(II)-EDTA by ozone-oxidation process. *Environmental Science and Pollution Research*,2020;27:812–822.
  53. Yang J, Jia R, Gao Y, Wang W, Cao P. The reliability evaluation of reclaimed water reused in power plant project. *IOP Conference Series: Earth and Environmental Science*,2017;100:012189.
  54. Yaqub A, Ajab H, Isa MH, Jusoh H, Junaid M, Farooq R. Effect of ultrasound and electrode material on electrochemical treatment of industrial wastewater. *Journal of New Materials for Electrochemical Systems*,2012;15:289–292.
  55. Zahmatkesh M, Spanjers H, Jules B, Lier V. A novel approach for application of white rot fungi in wastewater treatment under non-sterile conditions: Immobilization of fungi on sorghum. *Environmental Technology*,2018;39(16):2030–2040.
  56. Zamora S, Marín-Muñíz JL, Nakase-Rodríguez C, Fernández-Lambert G, Sandoval L. Wastewater treatment by constructed wetland eco-technology: Influence of mineral and plastic materials as filter media and tropical ornamental plants. *Water*,2019;11:2344.
  57. Zhang H, Reynolds M. Cadmium exposure in living organisms: A short review. *Science of the Total Environment*,2019;678:761–767.